

AMENDMENTS TO THE CLAIMS

1-15. (Canceled)

16. (Currently Amended) A DNA synthesis reaction composition comprising:

1) a DNA polymerase;

2) water-soluble acidic macromolecular substances or water-soluble salts thereof, wherein said water-soluble acidic macromolecular substances are one or more substances selected from the group consisting of sulfated-fucose-containing polysaccharides polysaccharide F, sulfated-fucose-containing polysaccharide-U, hyaluronic acid, and alginic acid, polyglutamic acids, polyacrylic acids and polystyrene sulfates; and

3) components necessary for DNA synthesis using DNA polymerase.

17. (Canceled)

18. (Currently Amended) A DNA synthesis reaction composition comprising:

1) two or more kinds of DNA polymerases;

2) water-soluble acidic macromolecular substances or water-soluble salts thereof, wherein said water-soluble acidic macromolecular substances are one or more substances selected from the group consisting of sulfated-fucose-containing polysaccharides polysaccharide F, sulfated-fucose-containing polysaccharide-U, dermatan sulfate (chondroitin sulfate B), hyaluronic acid, and alginic acid, polyglutamic acids, polyacrylic acids, polyvinyl sulfates and polystyrene sulfates; and

3) components necessary for DNA synthesis using DNA polymerase,
wherein the two or more kinds of DNA polymerases comprise a DNA polymerase having
 $3' \rightarrow 5'$ exonuclease activity, and a DNA polymerase having no $3' \rightarrow 5'$ exonuclease activity.

19-30. (Canceled)

31. (Currently Amended) A kit for use in *in vitro* DNA synthesis, wherein the kit comprises:

1) a DNA polymerase;
2) a reaction buffer comprising water-soluble acidic macromolecular substances or water-soluble salts thereof, wherein said water-soluble acidic macromolecular substances are one or more substances selected from the group consisting of sulfated-fucose-containing polysaccharides polysaccharide-F, sulfated-fucose-containing polysaccharide-U, hyaluronic acid, and alginic acid, polyglutamic acids, polyacrylic acids and polystyrene sulfates; and
3) dNTP, wherein N is a mixture of adenine, thymine, guanine and cytosine.

32-33. (Canceled)

34. (Previously Presented) The kit according to claim 31, wherein said DNA polymerase is a thermostable DNA polymerase.

35. (Canceled)

36. (Currently Amended) A kit for use in *in vitro* DNA synthesis, wherein the kit comprises:

- 1) two or more kinds of DNA polymerases, wherein the two or more kinds of DNA polymerases comprise a DNA polymerase having 3'→5' exonuclease activity, and a DNA polymerase having no 3'→5' exonuclease activity
- 2) a reaction buffer comprising water-soluble acidic macromolecular substances or water-soluble salts thereof, wherein said water-soluble acidic macromolecular substances are one or more substances selected from the group consisting of sulfated-fucose-containing ~~polysaccharides~~ ~~polysaccharide-F, sulfated-fucose-containing polysaccharide-U, dermatan sulfate (chondroitin sulfate B), hyaluronic acid, and~~ alginic acid, ~~polyglutamic acids, polyacrylic acids, polyvinyl sulfates and polystyrene sulfates;~~ and
- 3) dNTP, wherein N is a mixture of adenine, thymine, guanine and cytosine.

37. (Canceled)

38. (Previously Presented) The kit according to claim 36, wherein at least one of said two or more kinds of DNA polymerases is thermostable.

39. (Canceled)

40. (Previously Presented) The DNA synthesis reaction composition according to claim 16, wherein said water-soluble acid macromolecular substances or water-soluble salts thereof are present in the composition at about 0.1 ng to about 5 μ g, and wherein the composition is about 50 μ l in total volume.

41. (Previously Presented) The DNA synthesis reaction composition according to claim 16, wherein said DNA polymerase is selected from the group consisting of: pol I-type DNA polymerase, *E. coli* DNA polymerase I, Klenow fragment, *Thermococcus aquaticus*-derived DNA polymerase, α -type DNA polymerase, α -type *Pyrococcus furiosus*-derived DNA polymerase, *Thermococcus litralis*-derived DNA polymerase and *Pyrococcus* sp.-derived DNA polymerase.

42. (Previously Presented) The DNA synthesis reaction composition according to claim 16, wherein said DNA polymerase is selected from the group consisting of: *E. coli* DNA polymerase I, Klenow fragment, Taq DNA polymerase, VENT DNA polymerase, Pyrobest DNA polymerase, Pfu DNA polymerase I, Pfu DNA polymerase II, Ex-Taq DNA polymerase, KOD dash DNA polymerase, DEEP VENT DNA polymerase, KOD DNA polymerase and LA-Taq DNA polymerase.

43-44. (Canceled)

45. (Previously Presented) The DNA synthesis reaction composition according to claim 18, wherein said two or more kinds of DNA polymerases are selected from the group consisting of: pol I-type DNA polymerase, *E. coli* DNA polymerase I, Klenow fragment, *Thermococcus aquaticus*-derived DNA polymerase, α -type DNA polymerase, α -type *Pyrococcus furiosus*-derived DNA polymerase, *Thermococcus litralis*-derived DNA polymerase and *Pyrococcus* sp.-derived DNA polymerase.

46. (Previously Presented) A method of enhancing DNA synthesis which comprises: incubating the synthesis reaction composition of claim 16 in the presence of a nucleic acid to be amplified.

47. (Previously Presented) A method of enhancing DNA synthesis which comprises: incubating the synthesis reaction composition of claim 18 in the presence of a nucleic acid to be amplified.